

ORIGINAL RESEARCH

17. **Handgrip Strength Asymmetry in Middle-aged and Older Adults: Clinical Aspects**

Anastasiia Kolesnykova,¹ Maksym Parii,² Zoia Salii.³

¹ Medical Student, Ivan Horbachevsky Ternopil National Medical University, Ternopil, Ukraine

² MD within the first year of graduate, St. Michael Clinical Hospital of Kyiv, Kyiv, Ukraine

³ Associate Professor, DMS, Ivan Horbachevsky Ternopil National Medical University, Ternopil, Ukraine

▶ https://www.youtube.com/watch?v=hJlcIJ1w8oM&list=P_LhqNq3xJClbafO0Y5bvBcgMmXpgzJxd44&index=5&t=4114s

Background: Identifying early markers of neurodegeneration remains a key challenge. Recent studies (Zammit AR, 2021; Chen Z. et al., 2022; Wang et al., 2023) suggest an association between handgrip strength (HGS) asymmetry and cognitive decline. This study explores clinical characteristics of HGS asymmetry in middle-aged and elderly patients.

Methods: Ninety patients (mean age 63.7 ± 1.2 years; 58.9% men) were enrolled. Inclusion criteria: age >45 , preserved hand function. HGS was measured using a KERN MAP 130K1 dynamometer. Asymmetry coefficient was defined as the ratio of non-dominant to dominant hand strength; values <0.9 or >1.1 indicated asymmetry. Cognitive function was assessed via the MoCA test; anxiety and depression via the HADS scale.

Results: Mean HGS: dominant hand – 28.5 ± 1.8 kg, non-dominant – 25.9 ± 1.3 kg. HGS asymmetry was found in 54.4% of patients (dominant hand – 38 cases; non-dominant – 11). MoCA scores were lower in the asymmetry group (22.8 ± 0.6) vs. the non-asymmetry group (24.8 ± 0.4 ; $p < 0.05$). Significant declines were observed in visuoconstructive skills (1.67 ± 0.24 vs 2.58 ± 0.30) and memory (1.61 ± 0.39 vs 2.11 ± 0.40). MoCA negatively correlated with age ($r = -0.39$) and anxiety ($r = -0.32$). In the asymmetry group, strong correlations were found between gender and muscle strength ($r = -0.70$), and between muscle strength and MoCA scores ($r = 0.34$).

Conclusion: HGS asymmetry was present in over half of patients and was associated with lower cognitive scores. The asymmetry coefficient may serve as a clinical marker of early cognitive decline.

This work is licensed under a [Creative Commons Attribution 4.0 International License](#)

ISSN 2076-6327

This journal is published by [Pitt Open Library Publishing](#)

Pitt Open Library Publishing